Introduced by: Councilman Grant 80-80

Proposed No.

4842 MOTION NO.

1

2

3

5

6

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

A MOTION granting the appeal of the applicant for the proposed preliminary plat of Maple Hills No. 2, designated Building and Land Development Division File No. 1179-25, and remanding the application to the Zoning and Subdivision Examiner.

WHEREAS, by Report and Recommendation to the King County Council dated January 2, 1980, the Zoning and Subdivision Examiner has recommended that the application for preliminary approval of the proposed plat of Maple Hills No. 2 and application for local service area boundary adjustment (pursuant to the King County Sewerage General Plan), which are the subjects of Building and Land Development Division File No. 1179-25, be continued on call until the subject property is within a local service area through appropriate designation in a community plan, or until transportation and water service facilities are adequate to serve the subject property,

WHEREAS, based upon the facts found by the Zoning and Subdivision Examiner, the Land Use Appeals Committee of the King County Council determined that the subject property is eligible for a local service area boundary adjustment, that the Zoning and Subdivision Examiner made an error in judgment, and that the proposed plat of Maple Hills No. 2 should be granted preliminary approval subject to conditions for final plat approval, and

WHEREAS, additional information presently available to the King County Council indicates that a new factual issue may exist as to the adequacy of the water service which will be available to the proposed plat;

NOW THEREFORE, BE IT MOVED by the Council of King County:

The proposed plat of Maple Hills No. 2, which is the subject of Building and Land Development Division File No. 1179-25, is remanded to the Zoning and Subdivision Examiner for the purpose of receiving

31

32

33

additional information regarding the adequacy of water to serve existing proposed plats within the Water District No. 105 service area, and to recommend conditions for the Council to consider should it determine to grant preliminary plat approval. PASSED this 5th day of \_\_\_\_ KING COUNTY COUNCIL KING COUNTY, WASHINGTON ATTEST: