ORDINANCE NO. 4993

AN ORDINANCE relating to parking requirements, authorizing the use of compact car stalls, clarifying location requirements to prohibit parking in required yards, referencing the proposed chapter setting forth landscaping requirements; amending Resolution 25789, Section 2505 and KCC 21.50.060; and amending Resolution 33159 (part), Resolution 25789, Section 2506, and KCC 21.50.070.

BE IT ORDAINED BY THE COUNCIL OF KING COUNTY:

SECTION 1. Resolution 25789, Section 2505, and KCC 21.50.060 are each hereby amended to read as follows:

General requirements on size and location of parking spaces.

- (1) SIZE OF PARKING SPACE.
- (a) Each off-street parking space shall have an area of not less than one hundred-eighty square feet exclusive of drives and aisles, and a width of not less than nine feet except as provided in paragraph (b). Each space shall be provided with adequate ingress and egress.
- (b) Within any off-street parking facility which includes more than twenty parking spaces, up to 30% of the total may be sized to accommodate compact cars, subject to the following:
- (i) Each space shall have an area of not less than 128 square feet exclusive of drives and aisles, and a width of not less than eight feet.
- (ii) Each space shall be adequately identified as a compact or small car space.
- (iii) Aisle widths shall conform to the standards set forth by Chapter 16.74 for standard size cars.

(iv) Compact car spaces shall be reasonably distributed throughout the facility, and in no case shall such spaces be situated directly across an aisle from one another.

- (2) LOCATION. Off-street parking facilities shall be located as hereinafter specified((τ)); where a distance is specified, such distance shall be measured from the nearest point of the parking facility to the nearest point of the nearest building that such facility is required to serve:
- (a) For ((single-family,-two-family-and-medium-density multiple)) all residential dwellings, the parking facilities shall be located on the same lot or building site as the building they are required to serve ((and-at-least-one-space-per dwelling-unit-shall-be-so-located-that-it-may-be-enclosed-with-in-a-building)).
- ((+b) For-high-density-and-maximum-density-multiple-dwell-ings,-the-parking-facilities-shall-be-located-on-the-same-site as-the-dwellings-they-are-required-to-serve,-but-need-not-be located-where-they-may-be-enclosed-within-a-building:))
- (((e))) (b) For churches located in an RS, RD-3,600 or RM-2,400 zone, parking facilities shall be located on site. For churches located in any other zone, parking facilities shall be located not farther than one hundred fifty feet and not in an RS zone.
- (((d))) (c) For hospitals, sanitariums, homes for the aged, asylums, orphanages, roominghouses, lodginghouses and clubrooms, parking facilities shall be located not farther than one hundred fifty feet, but not in any RS, RD-3,600 or RM-2,400 zone.
- (((e))) (d) For uses other than those specified, parking
 facilities shall be located not ((ever)) farther than three
 hundred feet. ((and))
- $((\{f\}))$ (e) In ((R-zones)) no case shall a motor vehicle or trailer of any kind ((may)) be parked or stored nor shall internal

1	aisles or roadways be permitted in any required yard ((or)) , open
2	space ((other-than-on-a-driveway-)) or landscaped area, unless
3	authorized in accordance with Section 5 of Ordinance No. or KCC
4	21.58. Driveways may cross required yards or landscaped areas in
5.	order to provide access between the off-street parking facilities
6	and the street providing access to the site. Driveways may be
7	used for parking when serving individual single family dwellings
8	only, but shall not be considered for purposes of calculating
9	required parking.
10	SECTION 2. Resolution 33159 (part), Resolution 25789,
11	Section 2506, and KCC 21.50.070 are each hereby amended to read
12	as follows:
13	Required improvement, screening and maintenance of parking
14	and vehicles sales area. Every lot used as a public or private
15	parking area and having a capacity of five or more vehicles and
16	vehicle sales areas, trailer sales and boat sales areas shall be
17	developed, improved and maintained as required by Chapter 16.74,
18	"Off-street Parking Plans and Specifications" , and by Chapter
19	21. , setting forth landscaping requirements.
20	INTRODUCED AND READ for the first time this 17th day
21	of <u>becember</u> 1979.
22	PASSED this 14th day of July, 1980.
23	KING COUNTY COUNCIL KING COUNTY, WASHINGTON
24	A COUNTY WASHINGTON
25	Chairman Chairman
26	
27	ATTEST:
28	Clerk of the Council
29	.076
30	APPROVED this, 198 .
31	
32	La
33	King Jounty Executive
1	