October 4, 1993 Ord93.104

Ċ,

Introduced by AUDREY GRUGER Proposed No. 93-750

ORDINANCE NO. 11072

AN ORDINANCE granting a request for reconsideration, modifying the conditions for final plat approval of the proposed plat of DORCHESTER RIDGE, designated Building and Land Development File No. S89P0155, and amending Ordinance No. 10164.

BE IT ORDAINED BY THE COUNCIL OF KING COUNTY:

Section 1. This ordinance grants the request for reconsideration of Leslie A. Donner, to eliminate the requirement that the final plat comply with the King County residential guidelines for steep slopes, which were in effect at the time of preliminary plat approval, and to substitute therefore the requirement that the proposed plat comply with the King County sensitive areas ordinance, chapter 21.54, King County code.

Section 2. Condition no. 15 of final plat approval, as adopted by ordinance no. 10164, is amended to read as follows:

- 15. ((The proposed development shall comply with the King County residential density guidelines for steep slopes, dated February 1, 1987.)) At minimum, the following information shall be addressed on the applicant's engineering plans and final map page, as applicable:
 - a. Provide field survey for the site with topographic contours at 5-foot intervals.
 - b. Delineate the top and toe (as applicable) of all slopes 40% and greater with a grade difference of 10 feet or more. These features shall be flagged in the field by a licensed land surveyor, to enable the Building and Land Development Division to make an on-site inspection of the field survey.

- c. All steep slopes 40% and greater on the proposed plat shall be designated as native growth protection easement (NGPE) and shown as a separate tract on the engineering plans and final recorded map page. The NGPE shall include adjacent slope areas 25% or steeper, up to within 10 feet of the building setback line (BSBL).
- d. A 50-foot building setback line (BSBL) shall be provided from the edge of the NGPE. The building setbacks may be reduced, as allowed in the administrative guidelines, based upon review and approval by BALD of a special study prepared by a geotechnical consultant.
- e. Each lot affected by a setback restriction shall have a minimum of 5,000 square feet of usable building area.
- f. The applicant shall provide a road cut/fill slope easement for that portion of Southeast 80th Street which abuts this plat. In addition, the area adjacent to the intersection of 120th Avenue Southeast and Southeast 80th Street which has a slope of 40% or greater shall be designated as NGPE area with BSBL limits per condition no. 15.d. This NGPE area shall remain as part of the lots and not be placed in a separate tract. A slope easement in the intersection area shall be established and conveyed to King County for road maintenance purposes. This area shall include the area from the southern right of way of Southeast 80th Street to the top of the 40% slope.

Section 3. Condition no. 23 of final plat approval, as adopted by ordinance no. 10164, is amended to read as follows:

23. ((The applicant shall demonstrate compliance with the King County residential density guidelines as provided in

attachment 11 to the BALD preliminary report)) The final plat shall demonstrate compliance with chapter 21.54 King County code (sensitive areas ordinance) prior to submittal of the engineering plans. This ((will)) may result in the loss and/or reconfiguration of lots. A preliminary plat revision approval from the STC must occur before submittal of the engineering plans. INTRODUCED AND READ for the first time this _____ day of 1993. PASSED this 18 Th day of KING COUNTY COUNCIL KING COUNTY, WASHINGTON ATTEST: Clerk of the Council

r. 17