

ORDINANCE NO. 6807

AN ORDINANCE concurring with the recommendation of the Zoning and Subdivision Examiner to extend the time limit to meet pre-effective conditions upon the application for reclassification petitioned by MILDRED H. JAMES, INC., and designated Building and Land Development File No. 258-80-R.

BE IT ORDAINED BY THE COUNCIL OF KING COUNTY:

This ordinance does hereby adopt and incorporate herein as its own the findings and conclusions contained in the report of the zoning and subdivision examiner dated April 27, 1984, which was filed with the clerk of the council on May 17, 1984, to extend the time limit to meet pre-effective conditions to December 31, 1985, upon the application for reclassification petitioned by Mildred H. James, Inc., designated by the building and land development division, department of planning and community development, file no. 258-80-R, and the council does hereby adopt as its action the recommendation contained in said report.

INTRODUCED AND READ for the first time this 21st day of May, 1984.

PASSED THIS 24th day of May, 1984.

KING COUNTY COUNCIL
KING COUNTY, WASHINGTON

Gary Grant
Chairman

ATTEST:

Janeth M. Owens
Clerk of the Council

APPROVED this 7th day of June, 1984.

Randy Rull
King County Executive

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33



RECEIVED

1986 JAN 27 AM 7:50

CLERK
KING COUNTY COUNCIL

King County Executive
Tim Hill

Department of Planning and Community Development
Holly Miller, Director

January 21, 1986

King County Council
King County Courthouse
Seattle, WA 98104


Attention: Dorothy Owens, Clerk of the Council

Regarding: Ordinance No. 6807
Zoning File No. 258-80-R

Dear Council Members:

This is to inform you that conditions as set forth in Ordinance No. 6807 were not met in the time stipulated and the file was closed January 21, 1986 in compliance with KCC 20.24.230.

Sincerely,


Gerald W. Marbett
Supervisor
Development Controls

GWM:tss

cc: Ms. Mildred H. James